PROFESSIONAL PLATING INC 705 NORTHWAY DRIVE BRILLION, WI 54110

Q U O T A T I O N #00948105 02/13/18

Page 1

Quoted to: CON020 CONFORMANCE FASTENERS 6239 AMERICAN AVENUE PORTAGE, MI 49002

Attention: KEN ODLE R.F.Q.:

Part ID Revision	Part Description Finish	Quantity	Price	Unit
005M497400 D	EYE FITTING ZINC BARREL PRODURACLEAR .0003"0005" THICK PLATE			
		Minimum Charge	\$35.00	/LOT

3114 pieces or more received in one lot \$11.24 /M

PERFORMANCE PER GMW3044 8K240/120 NO BAKE INCLUDED FREIGHT IS NOT INCLUDED

PACKAGING: BULK

BOB ZIPPERER
ENGINEERING
(920) 756-6189
E-mail: bob.zipperer@proplating.com

PPAP costs whether initial or annual are not included in this price.

Current rates for surcharges which will be added to above prices are: Fuel (applies only if freight is being quoted) at 26.0%

We have quoted this/these part(s) based upon applying our current control plan parameters and pretreatment capabilities. If it is determined that the coolants, chemicals, cleaners, lubricants, etc., that you use to process and manufacture the part as quoted, not be a solid fit in regards to meeting our criteria for safe and effective application of paint to your parts, we reserve the right to void this quote accordingly, due to lack of chemical compatibility. Please reference our website at www.proplating.com for more information concerning this information and chemical compatibility. You may contact one of our Sales Estimator-Planners to discuss these concerns further.

We have quoted this/these part(s) with the intent that the parts will arrive in "Ready to Finish" condition. PPI's quote does not include extra precleaning/blasting/sanding, unless otherwise noted, due to material conditions such as rust, laser scale, weld scale, etc.

This quote does not include extra labor to unwrap parts from paper or foam

or to remove parts from individual bags or pouches. PPI reserves the right to change the quotation to add pricing for the accomplishment of unwrapping of parts at PPI. If that is how you elect to ship parts to PPI, it must be noted in the RFQ so that it can be accounted for in the quote.